




Incorporating

Series SWPF Perforated face swirl diffuser



- High performance diffuser with architectural appearance
- Removable perforated fascia plate conceals rear mounted swirl diffuser
- 595mm x 595mm overall tile replacer size with two core diameters
- Stock product for immediate despatch





Series SWPF

Series SWPF perforated face swirl diffusers offer the high performance diffusion properties of a swirl diffuser, with the understated appearance of a perforated plate grille.

To enable simple and effective cleaning of the diffuser, the perforated fascia is held into the outer frame through the use of four moulded plastic screws, mating with nut-inserts mounted into the concealed swirl diffuser core.

The screw design, with a 20mm diameter knurled head makes removal by hand simple, with no tools required.

SWPF diffusers are sized 595mm x 595mm overall to suit lay in type ceiling grid systems, with two core diameters available (356mm and 457mm).



Design features

Material Extruded aluminium outer frame

Perforated steel core

Sheet steel swirl diffuser core

Frame 25mm flat

Core sizes 356mm and 457mm diameter

Overall size 595mm x 595mm (tile replacer size

for lay in ceiling systems)

Fixings None

Finish Standard: RAL9010 matt white

outer frame and perforated plate face, matt black concealed swirl

diffuser core

Optional: See page 4

Mass/unit 5.5kg



Quality assurance

HVC Supplies (Stourbridge) Ltd is an ISO 9001 certified company.





Assessed to ISO 9001 Cert/Ref No. 1186

56



Technical drawings: SWPF-356 and SWPF-457





Performance data

Series	Volume (I/s)	Throw (m)	Velocity (m/s)	Pressure drop (Pa)	Sound power level (dB)
SWPF-356	85	1.3	1.6	8	25
	110	1.7	2.1	15	33
	140	2.2	2.7	23	40
	165	2.6	3.2	33	45
	195	3.0	3.8	45	49
SWPF-457	110	1.4	1.6	8	26
	140	1.7	2.2	12	32
	165	2.1	2.7	17	37
	195	2.4	3.2	23	41
	225	2.8	3.6	30	44
	250	3.1	4.0	39	47

sales@h-v-c.com 3



Finish

RAL9010 matt white held in stock

Polyester powder coating to any RAL or BS colour



Ordering codes

Example

1 - SWPF - 457 Ø - RAL9010

Codes

1)	Quantity		
2)	Series	SWPF	Perforated face swirl diffuser
3)	Core diameter	356 Ø 457 Ø	356mm core diameter 457mm core diameter
4)	Finish	RAL BS	Polyester powder coated to RAL Polyester powder coated to BS

4




HVC & NCA products

HVC offer the significant advantage of manufacturing both in duct and duct terminal equipment, making us a one stop shop for all your HVAC needs.

The products shown below are a selection, not an exhaustive list. Go to **www.h-v-c.com** for details on all HVC and NCA products.

HVC: Grilles, Diffusers, Louvres and Volume Control Dampers




























NCA: Fire and Volume Control Dampers







sales@h-v-c.com 5











Assessed to ISO 9001 Cert/Ref No. 1186

HVC Supplies (Stourbridge) Ltd Jason House Amblecote West Midlands DY8 4EY United Kingdom

Tel: +44 (0)1384 376555 Fax: +44 (0)1384 392555

sales@h-v-c.com

All details within this brochure are correct at time of publication. However HVC's policy is one of continual product development. The right is reserved to alter any details published in this brochure without any prior notice. Any changes will appear on www.h-v-c.com as soon as is practically possible.

All information in this brochure is designed to be used for informative purposes only. HVC will not be legally bound by anything contained within this publication, or any other information distributed.

All references to companies not part of the HVC group of companies are used with the permission of their respective owners.